



軟燈條系列 Soft Light Belt series 2018Spec.

SMD3528 燈條(60pcs/M)

型號 Items	顏色 Color	LED Parameters			亮度 mcd(or Lm)	材質 Material	功率 Watt/M	尺寸 Dimensions	備註 Note
		Type	Quantity	nm/K					
裸燈帶IP20									
LB3528-60R	R	SMD3528	60pcs/M	620-625	300-500	FPC	4.8W/M	8*5000mm	DC12V/0.4A or DC24V/0.2A Ra80
LB3528-60Y	Y	SMD3528	60pcs/M	587-592	500-800	FPC	4.8W/M	8*5000mm	
LB3528-60B	B	SMD3528	60pcs/M	465-470	300-500	FPC	4.8W/M	8*5000mm	
LB3528-60G	G	SMD3528	60pcs/M	520-525	1000-1200	FPC	4.8W/M	8*5000mm	
LB3528-60W	W	SMD3528	60pcs/M	6000±250K	2100~2400Lm	FPC	4.8W/M	8*5000mm	
LB3528-60WW	WW	SMD3528	60pcs/M	3000±200K	2000~2300Lm	FPC	4.8W/M	8*5000mm	

SMD3528 燈條(120pcs/M)

型號 Items	顏色 Color	LED Parameters			亮度 mcd(or Lm)	材質 Material	功率 Watt/M	尺寸 Dimensions	備註 Note
		Type	Quantity	nm/K					
裸燈帶IP20									
LB3528-120R	R	SMD3528	120pcs/M	620-630	600-1000	FPC	9.6W/M	8*5000mm	DC12V/0.8A or DC24V/0.4A Ra80
LB3528-120Y	Y	SMD3528	120pcs/M	587-592	1000-1600	FPC	9.6W/M	8*5000mm	
LB3528-120B	B	SMD3528	120pcs/M	465-470	600-1000	FPC	9.6W/M	8*5000mm	
LB3528-120G	G	SMD3528	120pcs/M	520-525	2000-2400	FPC	9.6W/M	8*5000mm	
LB3528-120W	W	SMD3528	120pcs/M	6000±250K	4200~4800Lm	FPC	9.6W/M	8*5000mm	
LB3528-120WW	WW	SMD3528	120pcs/M	3000±200K	4000~4600Lm	FPC	9.6W/M	8*5000mm	

SMD2835 燈條 (60pcs/M)

型號 Items	顏色 Color	LED Parameters			亮度 mcd(or Lm)	材質 Material	功率 Watt/M	尺寸 Dimensions	備註 Note
		Type	Quantity	nm/K					
裸燈帶IP20									
LB2835-60R	R	SMD2835	60pcs/M	620-630	1800-2400	FPC	6W/M	8*5000mm	DC12V/0.6A or DC24V/0.3A Ra80
LB2835-60Y	Y	SMD2835	60pcs/M	587-592	2000-2500	FPC	6W/M	8*5000mm	
LB2835-60B	B	SMD2835	60pcs/M	465-470	1000-1500	FPC	6W/M	8*5000mm	
LB2835-60G	G	SMD2835	60pcs/M	520-525	4000-5000	FPC	6W/M	8*5000mm	
LB2835-60W	W	SMD2835	60pcs/M	6000±250K	4000~4200Lm	FPC	6W/M	8*5000mm	
LB2835-60WW	WW	SMD2835	60pcs/M	3000±200K	3800~4000Lm	FPC	6W/M	8*5000mm	

SMD2835 燈條 (120pcs/M)

型號 Items	顏色 Color	LED Parameters			亮度 mcd(or Lm)	材質 Material	功率 Watt/M	尺寸 Dimensions	備註 Note
		Type	Quantity	nm/K					
裸燈帶IP20									

LB2835-120R	R	SMD2835	120pcs/M	620-630	3600~4800	FPC	12W/M	8*5000mm	DC12V/0.6A or DC24V/0.3A Ra80
LB2835-120Y	Y	SMD2835	120pcs/M	587-592	4000~5000	FPC	12W/M	8*5000mm	
LB2835-120B	B	SMD2835	120pcs/M	465-470	2000~3000	FPC	12W/M	8*5000mm	
LB2835-120G	G	SMD2835	120pcs/M	520-525	8000~10000	FPC	12W/M	8*5000mm	
LB2835-120W	W	SMD2835	120pcs/M	6000±250K	8200~8400Lm	FPC	12W/M	8*5000mm	
LB2835-120WW	WW	SMD2835	120pcs/M	3000±200K	8000~8200Lm	FPC	12W/M	8*5000mm	

SMD5050 燈條(60pcs/M)

型號 Items	顏色 Color	LED Parameters			亮度 mcd(or Lm)	材質 Material	功率 Watt/M	尺寸 Dimensions	備註 Note
		Type	Quantity	nm/K					
裸燈帶IP20									
LB5050-60R	R	SMD5050	60pcs/M	620-630	1800-2400	FPC	14.4W/M	10*5000mm	DC12V/1.2A or DC24V/0.6A Ra80
LB5050-60Y	Y	SMD5050	60pcs/M	587-592	2000-2500	FPC	14.4W/M	10*5000mm	
LB5050-60B	B	SMD5050	60pcs/M	465-470	1000-1500	FPC	14.4W/M	10*5000mm	
LB5050-60G	G	SMD5050	60pcs/M	520-525	4000-5000	FPC	14.4W/M	10*5000mm	
LB5050-60W	W	SMD5050	60pcs/M	6000±250K	5200~5400Lm	FPC	14.4W/M	10*5000mm	
LB5050-60WW	RW	SMD5050	60pcs/M	3000±200K	5000~5200Lm	FPC	14.4W/M	10*5000mm	
LB5050-60RGB	RGB	SMD5050	60pcs/M	623 G:520 B:4	R:600 G:1400 B:500	FPC	14.4W/m	10*5000mm	
套管+灌膠防水IP68									
LB5050-60R68	R	SMD5050	60pcs/M	620-630	1800-2400	FPC	14.4W/M	12*5000mm	DC12V/1.2A or DC24V/0.6A Ra80
LB5050-60Y68	Y	SMD5050	60pcs/M	587-592	2000-2500	FPC	14.4W/M	12*5000mm	
LB5050-60B68	B	SMD5050	60pcs/M	465-470	1000-1500	FPC	14.4W/M	12*5000mm	
LB5050-60G68	G	SMD5050	60pcs/M	520-525	4000-5000	FPC	14.4W/M	12*5000mm	
LB5050-60W68	W	SMD5050	60pcs/M	6000±250K	5200~5400Lm	FPC	14.4W/M	12*5000mm	
LB5050-60WW68	WW	SMD5050	60pcs/M	3000±200K	5000~5200Lm	FPC	14.4W/M	12*5000mm	
LB5050-60RGB68	RGB	SMD5050	60pcs/M	623 G:520 B:4	R:600 G:1400 B:500	FPC	14.4W/M	12*5000mm	

SMD2016燈條(60pcs/M , 120pcs/M , 180pcs/M)

型號 Items	顏色 Color	LED Parameters			亮度 mcd(or Lm)	材質 Material	功率 Watt/M	尺寸 Dimensions	備註 Note
		Type	Quantity	nm/K					
裸燈帶IP20									
LB2016/60D/3000K/8	3000K	SMD2016	60pcs/M	3000K	2200Lm	FPC	4.8W/M	8*5000mm	DC12V/PCB 8mm/Ra90
LB2016/60D/4000K/8	4000K	SMD2016	60pcs/M	4000K	2400Lm	FPC	4.8W/M	8*5000mm	
LB2016/120D/3000K/8	3000K	SMD2016	120pcs/M	3000K	4400Lm	FPC	9.6W/M	8*5000mm	
LB2016/120D/4000K/8	4000K	SMD2016	120pcs/M	4000K	4800Lm	FPC	9.6W/M	8*5000mm	
LB2016/120D/3000K/8	3000K	SMD2016	180pcs/M	3000K	6600Lm	FPC	14.4W/M	8*5000mm	
LB2016/180D/4000K/8	4000K	SMD2016	180pcs/M	4000K	7200Lm	FPC	14.4W/M	8*5000mm	

SMD335側發光燈條(120pcs/M)

型號 Items	顏色 Color	LED Parameters			亮度 mcd(or Lm)	材質 Material	功率 Watt/M	尺寸 Dimensions	備註 Note
		Type	Quantity	nm/K					
裸燈帶IP20									
LB335-60R	R	SMD335	120pcs/M	620-630	600-1000	FPC	9.6W/M	8*5000mm	DC12V/0.8A or DC24V/0.4A
LB335-60Y	Y	SMD335	120pcs/M	587-592	800-1200	FPC	9.6W/M	8*5000mm	
LB335-60B	B	SMD335	120pcs/M	465-470	500-600	FPC	9.6W/M	8*5000mm	
LB335-60G	G	SMD335	120pcs/M	520-525	16-2000	FPC	9.6W/M	8*5000mm	
LB335-60W	W	SMD335	120pcs/M	6000±250K	2800-3200Lm	FPC	9.6W/M	8*5000mm	

LED為半導體發光元件，戶外使用時切忌於白天高溫時點燈使用，以確保LED壽命。

特殊規格需訂製，有MOQ限制。

LB2016系列主要針對鋁條的對應使用。



<http://www.new-wonder.com.tw> Tel:(02)2821-8897 Fax:(02)2821-4997